







Cypress Lighting Technologies, LLC






P.O. Box 912 Robert, Louisiana 70455
985-817-9100

Item. No.	Photo	Features & Specifications		
Mirage Solar Bollard Light				
CL-SGL-08		LED	20 lms, 4000-4500k	
		Li-ion Battery	3.7V 800mAH	
		Solar Panel	0.6W	Lighting Mode
		Install Distance	4-5m	
		Waterproof	IP65	Keep 100% brightness(20lm) all night
		Solar Charging Time	7-9 hous	Application: Garden/Park/Square/Street /Pathway etc
		Lighting Time	5-6 days	
		Material	Aluminum ally +Crystal Class	
		Size	530mm*106mm*69.8mm	
		Warranty	2Years	Carton size: 71*56.4*51.8cm QTY/CTNS: 40pcs G.W/CTNS: 39.8kg
CL-SGL-09		LED	50 lms, 4000-4500k	
		Li-ion Battery	3.7V 2600mAH	
		Solar Panel	1W	Lighting Mode
		Install Distance	3m	
		Waterproof	IP65	Keep 100% brightness (50lumens) all night
		Solar Charging Time	7-9 hous	Application: Garden/Park/Square/Street /Pathway etc
		Lighting Time	5-6 days	
		Material	Aluminum ally +Crystal Class	
		Size		
		Warranty	2Years	Carton size: cm QTY/CTNS: pcs G.W/CTNS: kg
Tucano-Solar Arm Light				
CL-SWL-05S		LED	200 lms , 4000-4500K	
		Li-ion Battery	3.7V 1000mAH	
		Solar Panel	0.6W	Main Function:
		Install Height	2-3m	
		Waterproof	IP65	1. Unique patent Arm design with super wide lighting area 2. Professional lighting distribution 3. ALS2.0 New technology support 6-8 rainy days lighting 4. US/EU /China appearance patent certificate
		Solar Charging Time	7-9 hous	Lighting Mode: 10% Dim Light+PIR
		Lighting Time	5-6 days	Box : 13.5*13.5*29cm Weight : 1.06KG Carton : 62*60*31 cm Weight : 22KG QTY: 20PCS/CTN
		Material	Aluminum ally + PC	
		Size	136.7*106.8*216MM	
		Warranty	1 Year	
CL-SWL-06		LED	600 lumens, 3000K+6000K	
		Li-ion Battery	3.7V 5.2AH	
		Solar Panel	2W	Main Function:
		Install Height	3M	
		Waterproof	IP65	1.Combined Warm with Pure white LED, glare-free to eyes; 2.Aluminum Alloy Lamp Case, Strong and Durable 3.Patent Arm design with wide lighting area 4.Remote controller to choose 3 lighting modes and set timer 5.LED Indicator Show Battery Power : 10%, 50%, 80%. 6.ALS2.0 New technology support 6-8 rainy days lighting
		Solar Charging Time	7-9 hours by bright sunshine	Lighting Mode: M1: 10%+PIR M2: 20%+PIR M3: First 5Hrs 200lms+ 40lms with PIR 600Lms until dawn
		Lighting Time	6-8 days	
		Material	Aluminium Alloy+PC	
		Size	199.3*190.2*377.2MM	
		Warranty	3 Years	
CL-SWL-07		LED	1200 lumens	
		Li-ion Battery	3.7V 10.4AH	
		Solar Panel	5W	Main Function:
		Install Height	3-5M	
		Waterproof	IP65	1.Combined Warm with Pure white LED, glare-free to eyes; 2.Aluminum Alloy Lamp Case, Strong and Durable 3.Patent Arm design with wide lighting area 4.Remote controller to choose 3 lighting modes and set timer 5.LED Indicator Show Battery Powers: 10%, 50%, 80%. 6.ALS2.0 New technology support 6-8 rainy days lighting
		Solar Charging Time	7-9 hours by bright sunshine	Lighting Mode: M1: 10%+PIR M2: 20%+PIR M3: First 5Hrs 400lms+ 20lms with PIR 600Lms until dawn
		Lighting Time	6-8 days	
		Material	Aluminium Alloy+PC	
		Size		
		Warranty	3 Years	

Item. No.	Photo	Features & Specifications		
Beetles-Solar Wall Light				
CL-SWL-03		LED	4W, 6000K±500K	
		Li-ion Battery	3.7V 5AH	
		Solar Panel	1W	Main Function:
		Install Height	2.5-3M	
		Waterproof	IP65	<ol style="list-style-type: none"> 1. Unique patent design 2. 4 LED indicator remind lighting days 3. 3 lighting modes for selection 4. ALS2.0 New technology support 6-8 rainy days lighting 5. Sunlight collection technology to increase the fast charging time over 50% 6. Professional lighting distribution for wide lighting area
		Solar Charging Time	8 hours by bright sunlight	
		Lighting Time	8 Nights +	
		Material	PC	
		Size	13.35*21.4*7.34CM	
		Warranty	1 Year	
		Box : 24*8.3*15cm Weight: 0.75KG Carton :52.3*25.5*32.3 cm Weight : 10KG QTY: 12PCS/CTN		
Uranus-Solar Flood light				
CL-SWL-10		LED	10W	
		Li-ion Battery	3.7V 4AH	
		Solar Panel	2.65W	Main Function:
		Install Height	2M - 4M	
		Waterproof	IP65	<ol style="list-style-type: none"> 1. Indoor & outdoor lighting selection with separated solar panel 2. 3 led indicator remind battery capacity 3. Brightness and lighting time adjustable by remote controller 4. ALS2.0 New technology support 6-8 rainy days lighting 5. Professional lighting distribution for wide lighting area
		Solar Charging Time	8 hours by bright sunlight	
		Lighting Time	8 Nights +	
		Material	Aluminium alloy+ steel glass	
		Size	Solar panel:180*150mm Led:190*104mm	
		Warranty	1 Year	
		Box : 19.0*10.8*17.3cm Weight: 1.2KG Carton : 40*23.2*36.8 cm Weight : 11KG QTY: 8PCS/CTN		
CL-SWL-15		LED	15W	
		Li-ion Battery	3.7V 6AH	
		Solar Panel	4.25W	Main Function:
		Install Height	4M - 6M	
		Waterproof	IP65	<ol style="list-style-type: none"> 1. Indoor & outdoor lighting selection with separated solar panel 2. 3 led indicator remind battery capacity 3. Brightness and lighting time adjustable by remote controller 4. ALS2.0 New technology support 6-8 rainy days lighting 5. Professional lighting distribution for wide lighting area
		Solar Charging Time	8 hours by bright sunlight	
		Lighting Time	8 Nights +	
		Material	Aluminium alloy+ steel glass	
		Size	Solar panel:180*195mm Led:190*104mm	
		Warranty	1 Year	
		Box : 19.0*10.8*20.3cm Weight: 1.3KG Carton : 40*23.2*42.8 cm Weight : 12KG QTY: 8PCS/CTN		
CL-SWL-20		LED	20W	
		Li-ion Battery	3.7V 8AH	
		Solar Panel	5.2W	Main Function:
		Install Height	4M - 6M	
		Waterproof	IP65	<ol style="list-style-type: none"> 1. Indoor & outdoor lighting selection with separated solar panel 2. 3 led indicator remind battery capacity 3. Brightness and lighting time adjustable by remote controller 4. ALS2.0 New technology support 6-8 rainy days lighting 5. Professional lighting distribution for wide lighting area
		Solar Charging Time	8 hours by bright sunlight	
		Lighting Time	8 Nights +	
		Material	Aluminium alloy+ steel glass	
		Size	Solar panel:180*245mm Led:190*104mm	
		Warranty	1 Year	
		Box : 19.0*10.8*25.2cm Weight: 1.4KG Carton : 40*27.2*45.8 cm Weight : 13.9KG QTY: 8PCS/CTN		
CL-SWL-40		LED	40W	
		Li-ion Battery	3.7V 12AH	
		Solar Panel	9.45W	Main Function:
		Install Height	4M - 6M	
		Waterproof	IP65	<ol style="list-style-type: none"> 1. Indoor & outdoor lighting selection with separated solar panel 2. 3 led indicator remind battery capacity 3. Brightness and lighting time adjustable by remote controller 4. ALS2.0 New technology support 6-8 rainy days lighting 5. Professional lighting distribution for wide lighting area
		Solar Charging Time	8 hours by bright sunlight	
		Lighting Time	8 Nights +	
		Material	Aluminium alloy+ steel glass	
		Size	Solar panel:180*415mm Led:335*104mm	
		Warranty	1 Year	
		Box : 42.2*10.8*19cm Weight: 2.52KG Carton : 57.8*46.8*23.8cm Weight : 12KG QTY: 4PCS/CTN		
CL-SWL-50		LED	50W	
		Li-ion Battery	3.7V 18AH	
		Solar Panel	14.3W	Main Function:
		Install Height	4M - 6M	
		Waterproof	IP65	<ol style="list-style-type: none"> 1. Indoor & outdoor lighting selection with separated solar panel 2. 3 led indicator remind battery capacity 3. Brightness and lighting time adjustable by remote controller 4. ALS2.0 New technology support 6-8 rainy days lighting 5. Professional lighting distribution for wide lighting area
		Solar Charging Time	8 hours by bright sunlight	
		Lighting Time	8 Nights +	
		Material	Aluminium alloy+ steel glass	
		Size	Solar panel:350*350mm Led:335*104mm	
		Warranty	1 Year	
		Light Box : 33.8*8.8*17.3cm Solar Panel Box:36.2*3*36.2 cm Weight: 3.05KG Carton : 49.5*41.5*42.5 cm Weight : 14.9KG QTY: 4PCS/CTN		

Item. No.	Photo	Features & Specifications			
Solar RGB Light					
CL-SLL-22		LED	RGB5050 40PCS		
		Li-ion Battery	7.8AH 3.7V		
		Solar Panel	4.35W 5V		
		Install Height	4M - 6M		
		Waterproof	IP65		Main Function:
		Solar Charging Time	8 hours by bright sunlight		Red/Green/Blue slow change, or always keep red, or green, or blue
		Lighting Time	8 Nights +		
		Material	Aluminium alloy+ steel glass		
		Size	Solar panel:180*195mm Led:190*104mm		Box: 19.0*10.8*25.2cm Weight: 1.4KG Carton : 40*27.2*45.8 cm Weight : 13.9KG QTY: 8PCS/CTN
		Warranty	1 Year		
Solar Step Light					
CL-ESL-06K		LED	20Lumens 3000K±300K		
		Li-ion Battery	2000 mAh 3.7V		
		Solar Panel	1W 5.5V		
		Waterproof	IP 65		Main Function:
		Solar Charging Time	11 hours by bright sunlight		1. Constant Full Brightness at Night; 2. Turn on at Night and Turn off at Day Automatically;
		Lighting Time	3 Nights +		
		Material	Aluminum + ABS		Retail packaging: L21*W7*H13 CM Carton size: L44*W28*H37CM QTY/CTNS: 20PCS G.W/CTNS: 10.7KG
		Size	210*70*130mm		
		Warranty	1 Year		
		CL-SWL-11		LED	1000Lumens (PIR)
Li-ion Battery	7.2Wh(2AH 3.7V)				
Solar Panel	0.5W				
Waterproof	IP 65				Main Function:
Solar Charging Time	11 hours by bright sunlight				1. Constant Full Brightness at Night; 2. Turn on at Night and Turn off at Day Automatically;
Lighting Time	3 Nights +				
Material	Thermal Conductive Plastics				Retail packaging: 9.88*12*7.2 CM Carton size: L38*W41.5*H38.5CM QTY/CTNS: 20PCS G.W/CTNS: 16.7KG
Size	79.5mm * 90mm				
Warranty	1 Year				
Solar Underground Light					
CL-SLL-05N		LED	30Lumens 6000K±500K		MOQ 500 Price
		Li-ion Battery	2000mAh,3.7V		
		Solar Panel	1W,5.5V		
		Surface Load Capacity	1000 kg		Main Function:
		Waterproof	IP 68		
		Solar Charging Time	11 hours in bright sunlight		
		Lighting Time	3 Nights +		1. Smart Interaction Function; 2. Pure & Blue White Changing for Decoration; 3. Turn on at Night and Turn off at Day Automatically.
		Material	Stainless Steel+ Aluminum		
		Size	Φ170*55mm		
		Warranty	1 Year		
Pearl Series-Solar Garden Light					
CL-ESL-15N		LED	100Lumens 3000K±300K		
		Li-ion Battery	2000 mAh 3.7V		
		Solar Panel	1.6W 5.5V		
		Waterproof	IP 65		Main Function:
		Solar Charging Time	7 hours by bright sunlight		1. 2 lighting modes for choosing; 2. Warm White LED Color for Decoration; 3. Turn on at Night and Turn off at Day Automatically;
		Lighting Time	4 Nights +		M1: 5 hours 100 lumens + 25 lumens till dawn. M2: 50 lumens till dawn.
		Material	Aluminum + ABS		Box: 20*20*30cm Weight: 1KG Carton : 58*40*60 cm Weight : 12KG QTY: 12PCS/CTN
		Size	264mm(H)*dia 160mm		
		Warranty	1 Year		
		CL-ESL-25N		LED	100Lumens 3000K±300K
Li-ion Battery	2000 mAh 3.7V				
Solar Panel	1.6W 5.5V				
Waterproof	IP 65				Main Function:
Solar Charging Time	7-8 hours by bright sunlight				1. 2 lighting modes for choosing; 2. Warm White LED Color for Decoration; 3. Turn on at Night and Turn off at Day Automatically;
Lighting Time	4 Nights +				M1: 5 hours 100 lumens + 25 lumens till dawn. M2: 50 lumens till dawn.
Material	Aluminum + ABS				Box: 29.5*19.5*35.5cm Weight: 1.5KG Carton : 58*37*59 cm Weight : 10KG QTY: 6PCS/CTN
Size	802mm(H)*dia 160mm				
Warranty	1 Year				

Item. No.	Photo	Features & Specifications			
CL-SGL-01N		LED	100Lumens 3000K±300K		
		Li-ion Battery	2000 mAh 3.7V		
		Solar Panel	1.6W 5.5V		
		Waterproof	IP 65		
		Solar Charging Time	7 hours by bright sunlight		
		Lighting Time	4 Nights +		
		Material	Aluminum		
		Size	176*176*277mm		
		Warranty	1 Year		
				Main Function:	
				1. 2 lighting modes for choosing; 2. Warm White LED Color for Decoration; 3. Turn on at Night and Turn off at Day Automatically; 4.TCS and ALS2 technology for battery safety and lighting in any wheather M1: 5 hours 100 lumens + 25 lumens till dawn. M2: 50 lumens till dawn.	
CL-SGL-02N		LED	400Lumens 3000K±300K		
		Li-ion Battery	2000 mAh 3.7V		
		Solar Panel	1.6W 5.5V		
		Waterproof	IP 65		
		Solar Charging Time	7 hours by bright sunlight		
		Lighting Time	4 Nights +		
		Material	Aluminum		
		Size	176*176*802mm		
		Warranty	1 Year		
				Main Function:	
				1. 2 lighting modes for choosing; 2. Warm White LED Color for Decoration; 3. Turn on at Night and Turn off at Day Automatically; 4.TCS and ALS2 technology for battery safety and lighting in any wheather M1: 5 hours 100 lumens+ 25 lumens till dawn. M2: 50 lumens dim light + PIR (400 lumens full brightness for 30 seconds)	
Solar Courtyard Light					
CL-SCL-01N		LED	10W 6000K±500K		
		Li-ion Battery	44.4Wh 3.7V		
		Solar Panel	6.4W		
		Install Height	2.5M - 3.5M		
		Waterproof	IP 65		
		Solar charging time	9-10 hours by bright sunlight		
		Lighting time	7 Nights +		
		Material	PC+Aluminum Alloy		
		Size	446*247*86mm		
Warranty	1 Year				
				Main Function:	
				1. Remote Control; 2. PIR Motion Sensor for Energy Saving; 3. Brightness Adjustable and Timer Function; 4. ALS + VFT + TCS Technology for All Night Lighting in Cloudy or Rainy Day. Application: Outdoor wall or pole in Plaza, Park, Garden,Courtyard,Street, Walkway, Pathway, Campus,Airfield,Farm, Perimeter Security etc... Packing details: Retail packaging: L54*W30*H13.5CM Carton size: L56*W32*H56CM QTY/CTNS: 4PCS G.W/CTNS: 12.6kgs	
Halo Solar Landscape Light					
CL-SLL-09		LED	20W 4000K		
		Li-ion Battery	115.44 Wh		
		Solar Panel	16.2W 16V		
		Install Height	3M - 4M		
		Waterproof	IP 65		
		Solar Charging Time	9 hours by bright sunlight		
		Lighting Time	7 Nights +		
		Material	Aluminium Alloy + PC		
		Size	434.3*434.4mm		
Warranty	2 Years				
				Main Function:	
				1. TCS technology for battery safety; 2. ALS2.1 technology for lighting in any wheather. Support 100% brightness. Application: Courtyard/Garden/ Plaza/ Park/Tourist Zone/Street/Pathway etc	
Honor Series Solar Landscape Light					
CL-SLL-10N		LED	20W 6000±500K		
		Li-ion Battery	88.8Wh 14.8V		
		Solar Panel	12.5W/18V		
		Waterproof	IP 65		
		Solar Charging Time	9 hours by bright sunlight		
		Lighting Time	5 Nights +		
		Material	PC+Aluminum Alloy		
		Size	∅ 416*830mm		
		Install Height	3M		
Warranty	1 Year				
				Main Function:	
				1. Double PIR for 360 Degree Lighting and energy saving; 2. Build in solar panel for integrity appearance; 3. ALS2.0 technology for lighting in any wheather; 4. TCS technology for battery safety; 5. 2 lighting modes for choosing. Application: Gate/Fence/Garden/Courtyard/Road/Park/Pathway etc Packing details: Carton size: 50.3*50.3*81.8CM QTY/CTNS: 1PCS G.W/CTNS: 9.5KG	
Solar Landscape Light					
CL-SLL-21		LED	20W 2700K-6500K		
		Li-ion Battery	111Wh,14.8V		
		Solar Panel	18.5W 18V		
		Install Height	3M - 4M		
		Waterproof	IP 65		
		Solar Charging Time	9 hours by bright sunlight		
		Lighting Time	7 Nights +		
		Material	Aluminium Alloy + PC		
		Size	512*512*482mm		
Warranty	2 Years				
				Main Function:	
				1. Double PIR for 360 Degree Lighting; 2. PIR Motion Sention for Energy Saving; 3. TCS technology for battery safety; 4. ALS2.0 technology for lighting in any wheather. Application: Courtyard/Garden/ Plaza/ Park/Tourist Zone/Street/Pathway etc Packing details: Carton size: L60XW60XH55.5CM QTY/CTNS: 1 PCS G.W/CTNS: 8 KG	

Item. No.	Photo	Features & Specifications		
UFO Solar Landscape Light				
CL-SSL-12N1		LED	20W 5700-6500K	
		Li-ion Battery	115.4WH 14.8V	
		Solar Panel	18W 18V	
		Install Height	3M - 4M	
		Waterproof	IP 65	
		Solar Charging Time	9 hours by bright sunlight	
		Lighting Time	7 Nights +	
		Material	Aluminium Alloy + ABS	
		Size	526*163mm	
		Warranty	2 Years	
				Main Function: 1. TCS technology for battery safety; 2. ALS2.0 technology for lighting in any wheather. 3. 2 lighting modes for choosing.
				Application: Courtyard/Garden/ Plaza/ Park/Tourist Zone/Street/Pathway etc
				Packing details: Retail packaging: L56*W21*H56CM Carton size: L58*W44*H58CM QTY/CTNS: 2PCS G.W/CTNS: 16 KG
CL-SSL-14N1		LED	30W 5700-6500K	
		Li-ion Battery	230.88WH 22.2 V	
		Solar Panel	35W 27V	
		Install Height	3M - 5M	
		Waterproof	IP 65	
		Solar Charging Time	9 hours by bright sunlight	
		Lighting Time	7 Nights +	
		Material	Aluminium Alloy + PC	
		Size	690 x 727 x 223 mm	
		Warranty	2 Years	
				MOQ100pcs Price
				Main Function: 1. TCS technology for battery safety; 2. ALS2.0 technology for lighting in any wheather. 3. 2 lighting modes for choosing.
				Application: Courtyard/Garden/ garage door/ warehouse/stable/gateway/escape trunk/corridor etc
				Retail packaging: L82*W82*H27CM Carton size: L82*W82*H27CM QTY/CTNS: 1PCS G.W/CTNS: 12KG
CL-SLL-16N1		LED	50W 5700-6500K	
		Li-ion Battery	461.76WH 22.2 V	
		Solar Panel	60W 27V	
		Install Height	4M - 6M	
		Waterproof	IP 65	
		Solar Charging Time	12-13 hours by bright sunlight	
		Lighting Time	7 Nights +	
		Material	Aluminium Alloy + ABS	
		Size	935 x 905 x 234 mm	
		Warranty	2 Years	
				MOQ100pcs Price
				Main Function: 1. TCS technology for battery safety; 2. ALS2.0 technology for lighting in any wheather. 3. 2 lighting modes for choosing.
				Application: Courtyard/Garden/ garage door/ warehouse/stable/gateway/escape trunk/corridor etc
				Retail packaging: L105*W105*H28CM Carton size: L105*W105*H28CM QTY/CTNS: 1PCS G.W/CTNS: 21.2KG