

Cypress Lighting Technologies, LLC



P.O. Box 912 Robert, Louisiana 70455
985-817-9100

Internal driver version LED Corn Bulbs



Notice

40W is without built-in fan, 50-150W are built-in with 1 fan 200W/240W are built-in with 2 fans

DLC Numbers

LSCB-20WXY = LSCB-20WE39NC
LSCB-40WXY-S = LSCB-40WE39NC-S
LSCB-70WXY = LSCB-70WE39NCG
LSCB-150WXY = LSCB-150WE39WCC

LSCB-30WXY = LSCB-30WE39NC
LSCB-50WXY = LSCB-50WE39NCG
LSCB-100WXY = LSCB-100WE39NC
LSCB-240WXY = LSCB-240WE39CC

LSCB-40WXY = LSCB-40WE39NCG
LSCB-60WXY = LSCB-60WE39NCG
LSCB-120WXY = LSCB-120WE39WCC

Sample Model Number: CL-CB-20W-xxK(CCT)Exx(Base)-C=clear cover/NC=no cover/M=milky cover "CL-CB-20W-50K-E26-C"


480-volt Available

Model NO.	Wattage	Input Voltage	Lumen	CRI	Certificates	Diameter x length	Color Temp	Base	
CL-CB-20W-xxK-Exx-X	20W	100-277VAC	2500Lm	> 80	ETL cETL DLC SAA CE RoHS	(No cover) E40:Dia72*175mm E27:Dia72*172mm	3000K 4000K 5000K 5700K 6500K	E39	
						(with cover)E40:Dia72*183mm E27:Dia72*179mm		E26	
CL-CB-30W-xxK-Exx-X	30W	100-277VAC	3750Lm	> 80	ETL cETL DLC SAA CE RoHS	(No cover) E40:Dia72*200mm E27:Dia72*197mm	3000K 4000K 5000K 5700K 6500K	E39	
						(with cover)E40:Dia72*208mm E27:Dia72*204mm		E26	

CL-CB-40W- xxK-Exx-X	40W	100-277VAC	5200Lm	> 80	ETL cETL DLC SAA CE RoHS	(No cover) E40:Dia105*245mm E27:Dia105*230mm (with cover)E40:Dia105*259mm E27:Dia105*244mm	3000K 4000K 5000K 5700K 6500K	E39 E26	
CL-CB-40W- xxK-Exx-X-S Short Version	40W	100-277VAC	5200Lm	> 80	ETL cETL DLC SAA CE RoHS	(No cover) E40:Dia105*185mm E27:Dia105*176mm (with cover)E40:Dia105*197mm E27:Dia105*188mm	3000K 4000K 5000K 5700K 6500K	E39 E26	
CL-CB-50W -xxK-Exx-X	50W	100-277VAC	6250Lm	> 80	ETL cETL DLC SAA CE RoHS	(No cover) E40:Dia105*219mm E27:Dia105*210mm (with cover)E40:Dia105*231mm E27:Dia105*222mm	3000K 4000K 5000K 5700K 6500K	E39 E26	
CL-CB-60W -xxK-Exx-X	60W	100-277VAC	7800Lm	> 80	ETL cETL DLC SAA CE RoHS	(No cover) E40:Dia105*255mm E27:Dia105*247mm (with cover)E40:Dia105*267mm E27:Dia105*258mm	3000K 4000K 5000K 5700K 6500K	E39 E26	
CL-CB-70W -xxK-Exx-X	70W	100-277VAC	9100Lm	> 80	ETL cETL DLC SAA CE RoHS	(No cover) E40:Dia105*291mm E27:Dia105*284mm (with cover)E40:Dia105*303mm E27:Dia105*295mm	3000K 4000K 5000K 5700K 6500K	E39 E26	
CL-CB-100W -xxK-Exx-X	100W	100-277VAC	13000Lm	> 80	ETL cETL DLC SAA CE RoHS	(No cover) E40:Dia128*287mm E27:Dia128*280mm (with cover)E40:Dia128*300mm E27:Dia128*292mm	3000K 4000K 5000K 5700K 6500K	E39 E26	
CL-CB-120W -xxK-Exx-X	120W	100-277VAC	15600Lm	> 80	ETL cETL DLC SAA CE RoHS	(No cover) E40:Dia128*307mm E27:Dia128*300mm (with cover)E40:Dia128*320mm E27:Dia128*313mm	3000K 4000K 5000K 5700K 6500K	E39 E26	
CL-CB-150W -xxK-Exx-X	150W	100-277VAC	19500Lm	> 80	ETL cETL DLC SAA CE RoHS	(No cover) E40:Dia128*337mm E27:Dia128*330mm (with cover)E40:Dia128*350mm E27:Dia128*343mm	3000K 4000K 5000K 5700K 6500K	E39 E26	
CL-CB-200W -ssK-Exx-X	200W	100-277VAC	24000Lm	> 80	ETL cETL DLC CE RoHS	(No cover) E40:Dia128*357mm E27:Dia128*350mm (with cover)E40:Dia128*370mm E27:Dia128*363mm	3000K 4000K 5000K 5700K 6500K	E39 E26	



CL-CB-240W -xxK-Exx-X	240W	100-277VAC External driver XLG-240-H-A	28000Lm	> 80	ETL cETL DLC CE RoHS	(No cover) E40:Dia128*357mm E27:Dia128*350mm (with cover)E40:Dia128*370mm E27:Dia128*363mm	3000K 4000K 5000K 5700K 6500K	E39 E26
--------------------------	------	--	---------	------	-------------------------	---	----------------------------------	------------

	20W:	1pc/9*9*23cm	50pcs/42X51X42cm	GW:16.0Kg
	30W:	1pc/9*9*25cm	50pcs/42X54X42cm	GW:18.5Kg
	40-50W:	1pc/13*13*27cm	12pcs/55*44*34cm	GW:9.5Kg
	60W:	1pc/13*13*27cm	12pcs/55*44*34cm	GW:10.5Kg
	70W:	1pc/13*13*34cm	12pcs/55*44*36cm	GW:11.7Kg
	100-120W:	1pc/15*15*36cm	12pcs/64*49*40cm	GW:14.5Kg
	150W:	1pc/15*15*39cm	12pcs/64*49*42cm	GW:16.5Kg
	200W:	1pc/15*15*41cm	12pcs/64*50*45cm	GW:19.5Kg
	240W:	1pc/15*15*41cm	12pcs/64*50*45cm	GW:14.5Kg
	Package Details	240W external driver:	12pcs/38*28*19cm	GW:16.0kg

Recommended replacement of traditional lamps	
20W:Replaces 50W-75W Metal Halide	100W:Replaces 350W-400W Metal Halide
30W:Replaces 75W-105W Metal Halide	120W:Replaces 400W-450W Metal Halide
40W:Replaces 125W-150W Metal Halide	150W:Replaces 450W-500W Metal Halide
50W:Replaces 175W-225W Metal Halide	200W:Replaces 750W Metal Halide
60W:Replaces 225W-250W Metal Halide	240W:Replaces 750W-1000W Metal Halide
70W:Replaces 250W-275W Metal Halide	

***SOLD BY FULL
CARTON ONLY***

20W / 30W / 40W are without fan built-in
40Wshort version and 50-150W are built-in with 1 fan
200W/240W are built-in with 2 fans

